

NEW INTERNATIONAL 1100 CUB CADET LAWN & GARDEN TRACTOR




POWER
LAWN
PRODUCTS

MODEL 1100 NOW MAKES CUB CADET QUALITY MORE AFFORDABLE THAN EVER.

Standards second to none.

The International® Cub Cadet® line has long been considered the finest of lawn and garden tractors. With good reason: Cub Cadet has a solid farm tractor heritage. The benefits have been clearly demonstrated down through the years, with performance and durability achievements that have built a long, loyal list of satisfied customers.



New combination of quality and economy.

The latest addition to this International line is the 1100 Cub Cadet. This 11 hp tractor is specially designed to make Cub Cadet quality more affordable to more buyers who shop hard for competitive value. And a rugged real IH value it is, with outstanding features that make it the most practical buy of any tractor its size.



Rugged automotive chassis.

The 1100 Cub Cadet rides solid on an automotive-type chassis that's as rugged as any Cub Cadet ever built. A solid I-beam cast axle up front. A heavy-duty frame with steel channels extending full length from front to back—no tubular steel components or sections which you'll find on many other makes.

Transaxle transmission.

A rugged transaxle transmission with gear and belt drive delivers smooth, dependable power for a wide variety of jobs. You have a choice of 4 forward speeds and 1 reverse, to match the speed to the job.

Built-in creeper drive.

There's a built-in creeper drive in first gear that provides an extra-slow speed at full power to lug through tough jobs—ideal for snow throwing or roto tilling.



Fingertip controls.



All controls are located for the ultimate in natural operation and comfort. Automotive-type steering provides easy, trouble-free control for quick, precise maneuverability. Easy-operating lift-handle controls front, center or rear-mounted attachments, permits a variety of height adjustments.

Work-easing comfort.



"Easy-seat," that's the word for the well-padded, contoured seat you'll find on the 1100 Cub Cadet. This seat, plus the wide foot rests, provides excellent working balance for the operator on any job situation.

A tractor for all seasons.

With a power take-off and optional rear hitch, the 1100 is ready for any job, the year around. Handles a plow, rotary tiller, spreader, planter, harrow, roller, rotary mower and, of course, a snow thrower.

Quiet, and smooth-running.

Both you and your neighbors will appreciate the purr of the 1100 Cub Cadet Synchro-Balanced™ well-muffled engine. Iso-Mounts between the engine and the frame absorb vibration to further smooth out operation.



Easy-going electric PTO Clutch.

One electrical switch engages and disengages all power take-off attachments, front, mid or rear-mounted. More reliable and easier to operate than mechanical clutches.



Safety is built in.

You'll find this decal on the mowing equipment shown in this folder. It means that the equipment meets or exceeds the basic safety specifications set by the American National Standards Institute, and sponsored by the Outdoor Power Equipment Institute (OPEI). The equipment has been tested for compliance with these safety specifications by an independent laboratory and also meets or exceeds International Harvester's stringent standards.

The place to go to keep your tractor on the go.

It's your IH dealer. And he's ready to help you perform routine and seasonal get-ready service yourself. You'll find he also has a complete range of parts and accessories, and experienced advice if you need it. And if more extensive service is required, your dealer is also the man to see. He has knowledgeable, factory-trained personnel who can quickly put your equipment in working order. If your dealer doesn't have a needed part in his hands today, our computerized parts and delivery system can have it on its way tonight.

12 months protection.

During the first 12 months after the original purchase, International Harvester will repair any of its products found to be defective in materials or workmanship. Cost of parts and labor is included. And just to demonstrate the confidence we have in our products, this 12 month warranty even applies to commercial use of the equipment.

A Service Maintenance Agreement that goes further.

For a slight extra charge, you can cover your IH equipment with a Service Maintenance Agreement that goes even further than our liberal warranty. This means that for the life of the agreement you're covered for all repairs required for proper operation. Even damage to the equipment is included. This agreement covers practically everything except tires and battery. Get full details on this coverage.

Financing available.

If you want to finance your new Cub Cadet, your IH dealer has several plans available, including the International Harvester Credit Corporation program. So just ask him. Because he can help ease the strain on your budget while IH eases the strain on your back.

SPECIFICATIONS

Horsepower*	11	Wheelbase	44"
Ground speed	1st gear, 6.6 mph; 2nd, 1.96; 3rd, 3.54; 4th, 5.23; Rev., 2.72.	Length	65"
Engine	Single cylinder, 4-cycle Briggs & Stratton air-cooled gasoline. Syncro-Balanced; quiet features.	Width	37.5"
Lubrication	Splash lubrication of crankshaft, connecting rod, camshaft, valves, piston.	Ground clearance	7.5"
Ventilation system	Dry type air cleaner, with Poly-wrap filtered carburetor breathing. Shower fan integral with flywheel.	Height to top of steering wheel	42.5"
Governor	Centrifugal type; gear-drive from cam-shaft.	Track, front	16 x 6.00-8
Electrical system	12 amp DC battery. Key start; switch control. Tri-circuit Honda drive motor.	rear	23 x 6.00-12
Transmission	Manual. Drive shaft to right angle gearbox to belt clutch to transaxle.	Turning radius	6' 9"
	Foot pedal control on common clutch/break pedal.	Operating wt. (lbs.)	1,175 lb. (operator, full fuel tank)
Frame	Steel channels extending from rear of transmission to grille.	Front	290
Axes, front	Caster pivoted cast iron alloy axle; 29" fixed tread.	Rear	454
rear	Flanged tub axle; needle roller bearings; 29" fixed tread.	Total	744
Brake	Single disk, external.	Eng. bore	1.4375"
Steering	Automatic-type, variable ratio from 12.1 at center to 6.1 at ends.	stroke	2.625"
		displacement (cu.in.)	24.36
		RPM @ maximum power	3,400
		Peak engine torque (ft.-lb.) at 2,800 rpm	16.8
		Power speed (H.P./min.) OHV engine (P.M.)	1,975

The following trademarks of International Harvester Company are registered in the U.S. Patent Office:
INTERNATIONAL, **CUB CADET**, and 

*Engine manufacturer's maximum rating.

Specifications subject to change without notice.



AD-22744-8

**FOR PROFESSIONAL RESULTS,
TRUST A SEASONED HAND.**

